



FOR PN6 DIMENSIONS SEE DRAWING No.E2.5  
 FOR PN10 DIMENSIONS SEE DRAWING No.E2.6

# durotan

Pre-insulated pipe systems

DUROTAN LTD, WEST HOUSE, WEST STREET, BUCKINGHAM, MK18 1HE.  
 Tel: 01280 814 048. Fax: 01280 817 842. Email: general@durotan.ltd.uk www.durotan.ltd.uk

PRE-INSULATED PIPE SYSTEM:

**THERMO**

DETAIL NAME:

**INTERNAL VERTICAL  
 TERMINATION WITH BEND KIT**

DRAWING No:

**E2.4**

DRAWN BY:

C.AUSTEN

DRAWN DATE:

17.05.13

SCALE:

N.T.S

REV:

-

THERMO				
PIPE SIZE (N.B)(mm)	SERVICE SIZE (O.D)(mm)	CASING SIZE (O.D)(mm)	ENTRY HOLE (HEIGHT)(mm)	ENTRY HOLE (WIDTH)(mm)
20	25/20	140	340	580
25	32/26	140	340	580
32	40/32	175	375	650
40	50/40	175	375	650
50	63/51	175	375	650
65	75/61	200	400	700
80	90/73	200	400	700
100	110/90	200	400	700

SUPRA				
PIPE SIZE (N.B)(mm)	SERVICE SIZE (O.D)(mm)	CASING SIZE (O.D)(mm)	ENTRY HOLE (HEIGHT)(mm)	ENTRY HOLE (WIDTH)(mm)
20	25/20	68	268	436
25	32/26	68	268	436
32	40/32	140	340	580
40	50/40	140	340	580
50	63/51	140	340	580
65	75/61	175	375	650
80	90/73	175	375	650
100	110/90	200	400	700

THERMO TWIN				
PIPE SIZE (N.B)(mm)	SERVICE SIZE (O.D)(mm)	CASING SIZE (O.D)(mm)	ENTRY HOLE (HEIGHT)(mm)	ENTRY HOLE (WIDTH)(mm)
2x20	25/20	175	375	375
2x25	32/26	175	375	375
2x32	40/32	175	375	375
2x40	50/40	200	400	400
2x50	63/51	200	400	400

THERMO MINI				
PIPE SIZE (N.B)(mm)	SERVICE SIZE (O.D)(mm)	CASING SIZE (O.D)(mm)	ENTRY HOLE (HEIGHT)(mm)	ENTRY HOLE (WIDTH)(mm)
20	25/20	68	268	436
25	32/26	68	268	436

FOR SINGLE PIPES MEASUREMENTS  
ARE BASED ON TWO PIPES WITHIN  
THE ENTRY HOLE

# durotan

Pre-insulated pipe systems

DUROTAN LTD, WEST HOUSE, WEST STREET, BUCKINGHAM, MK18 1HE.  
Tel: 01280 814 048. Fax: 01280 817 842. Email: general@durotan.ltd.uk www.durotan.ltd.uk

PRE-INSULATED PIPE SYSTEM:

## THERMO & SUPRA

DETAIL NAME:

## TERMINATION DIMENSION TABLES

DRAWING No:

## E2.5

DRAWN BY:

C.AUSTEN

DRAWN DATE:

17.05.13

SCALE:

N.T.S

REV:

-

AQUA				
PIPE SIZE (N.B)(mm)	SERVICE SIZE (O.D)(mm)	CASING SIZE (O.D)(mm)	ENTRY HOLE (HEIGHT)(mm)	ENTRY HOLE (WIDTH)(mm)
20	25/18	140	340	580
25	32/23	140	340	580
32	40/29	175	375	650
40	50/36	175	375	650
50	63/46	175	375	650

PN10 THERMO				
PIPE SIZE (N.B)(mm)	SERVICE SIZE (O.D)(mm)	CASING SIZE (O.D)(mm)	ENTRY HOLE (HEIGHT)(mm)	ENTRY HOLE (WIDTH)(mm)
20	25/18	140	340	580
25	32/23	140	340	580
32	40/29	175	375	650
40	50/36	175	375	650
50	63/46	175	375	650

AQUA TWIN				
PIPE SIZE (N.B)(mm)	SERVICE SIZE (O.D)(mm)	CASING SIZE (O.D)(mm)	ENTRY HOLE (HEIGHT)(mm)	ENTRY HOLE (WIDTH)(mm)
20	25/18	175	375	375
20	25/18			
25	32/23	175	375	375
20	25/18			
32	40/29	175	375	375
20	25/18			
40	50/36	175	375	375
20	25/18			

PN10 THERMO TWIN				
PIPE SIZE (N.B)(mm)	SERVICE SIZE (O.D)(mm)	CASING SIZE (O.D)(mm)	ENTRY HOLE (HEIGHT)(mm)	ENTRY HOLE (WIDTH)(mm)
2x20	25/18	175	375	375
2x25	32/23	175	375	375
2x32	40/29	175	375	375
2x40	50/36	200	400	400

FOR SINGLE PIPES MEASUREMENTS  
ARE BASED ON TWO PIPES WITHIN  
THE ENTRY HOLE

# durotan

Pre-insulated pipe systems

DUROTAN LTD, WEST HOUSE, WEST STREET, BUCKINGHAM, MK18 1HE.  
Tel: 01280 814 048. Fax: 01280 817 842. Email: general@durotan.ltd.uk www.durotan.ltd.uk

PRE-INSULATED PIPE SYSTEM:

## THERMO & AQUA

DETAIL NAME:

## PN10 TERMINATION DIMENSION TABLES

DRAWING No:

### E2.6

DRAWN BY:

C.AUSTEN

DRAWN DATE:

17.05.13

SCALE:

N.T.S

REV:

-